

PROLAPSED RECTUM

A PROLAPSED RECTUM IS GENERALLY CAUSED BY ONE OF TWO THINGS:

1. Not enough water in their diet. Baby ferrets' food should be wet down (*one part food to three parts water*). **NOTE:** We do not recommend feeding any dry or canned cat food.
2. A bacterial or viral infection that will cause the ferret to have a runny stool.

PRO TIP: Using the Marshall Fresh & Clean Paper Towel Bedding & Litter in-store allows caretakers to easily spot potential problems in the pan of white, dust-free, virgin, pellets. Recommending this product with every ferret sale has the potential to create a loyal customer.



TO HELP RESOLVE IT:

1. Wet down their food.
2. Administer an antibiotic (*Clavamox, Cefa-Drops or Baytril*) to prevent any infection to the exposed area. Dosage should be .1 ml every 12 hours.
3. Keep the area clean and apply Preparation H to soothe it.
4. Give daily doses of Marshall Furo-Vite high-calorie vitamin supplement to help keep the ferret healthy during healing.

UPPER RESPIRATORY

INFECTIONS AND INFLUENZA



Ferrets are very susceptible to problems related to stress when introduced to a new environment. They are prone to upper respiratory infections and influenza and can catch these diseases through human contact.

If a ferret is sneezing, pay close attention to the color of its mucus and check to see if its eyes are clear. This will help determine if an infection is present or if the sneezing is due to another cause, such as litter. Dusty litters cause ferrets to sneeze. We recommend Marshall Premium Ferret Litter, made with 100% recycled paper. If sneezing is present along with yellow or green discharge:

- Treat your ferret with an antibiotic (*we recommend Clavamox, Cefa-Drops or Baytril*)
- Use Marshall Ferret Rx for congestion
- Feed a very wet (*soupy consistency*) mixture of Marshall Premium Ferret Diet and water
- Keep the ferret hydrated by adding Pedialyte to the water

ECE (EPIZOOTIC CATARRHAL ENTERITIS)



ECE, or "green slime," is still a bit of a mystery. Much is unknown about how the virus is spread, but any situation that brings ferrets together seems to have the potential to do so. It can also be transmitted by clothing or human contact.

Aggressive treatment should begin at the first signs of green diarrhea.

Give an antibiotic (*we recommend Clavamox, Cefa-Drops or Baytril*) to fight off any secondary infection

Treat ECE with Pedialyte

- Feed a soft diet of moistened
- Marshall Premium Ferret Diet mixed with chicken baby food or feed Marshall's Uncle Jim's Duk Soup

In the absence of Uncle Jim's Duk Soup, crush a 10 mg tablet of Pepcid AC and add 10 cc of water. Administer .25 cc's 2-3 times a day.

- Give a high-calorie vitamin supplement such as Marshall Furo-Vite or Ensure